



# ALLDEC TRADING COMPANY

24149 63rd Avenue  
Langley, BC V2Y 2G3

Tel: 604-534-3688 Toll Free: 1-866-633-7788 Fax: 604-534-0166

## MATERIAL SAFETY DATA SHEET

CODE - TOMMY TAPE

DATE PREPARED - 04-01-10

### SECTION I

Product Name: **TOMMY TAPE®**  
Class: Synthetic Elastomeric Tape

Manufacturer: Tommy Tape Manufacturing, Inc.  
Telephone No. (407) 745-0220

Address: 114 Venus Street, Bay 1  
Jupiter, FL 33458

<b>NEPA-704 Hazard Rating:</b> 4 - Extreme 3 - High 2 - Moderate 1 - Slight 0 - Minimal * - Chronic Health Hazard (See Section V)	<i>Health</i> <b>1</b>
	<i>Fire</i> <b>0</b>
	<i>Reactivity</i> <b>0</b>

### SECTION II: HAZARDOUS INGREDIENTS

Not a hazardous chemical as defined by the OSHA Hazard Communication Standard CFR Title 29 1910.1200

%	TLV	PEL	CAS#

### SECTION III: PHYSICAL DATA

Boiling Point (°F):	NA
Vapor Pressure (MM Hg):	NA
Vapor Density (Air - 1):	NA
Solubility in Water:	Nil
Specific Gravity (H2O- 1):	1.15
Percent Volatile by Volume (%):	Nil
PH:	NA
Evaporation Rate (BuAC=1):	Nil

## SECTION IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point: NA Flammable Limits: LEL: NA

UEL: NA

**Flammability Classification:** OSHA: 111B

DOT: Not Regulated

### Extinguishing Media:

(X) Foam (X) Dry Chemical (X) Co2 (X) Water Fog ( ) Alcohol Foam ( ) Other

**Special Fire Fighting Procedures:** Do not use water except a fog. Self contained breathing apparatus with a full face piece operated in pressure demand or other positive pressure mode is required for firefighting personnel.

### Unusual Fire and Explosion Hazards:

Non Expected.

## SECTION V: HEALTH AND HAZARD INFORMATION

### Symptoms/Effects of Overexposure:

Tape is normally non-irritating to the skin. Ingestion of the compound is highly unlikely and the compound is expected to have a low order of toxicity although no test data is available. The compound may be mildly irritating to the eyes. The compound is essentially non-volatile and should not provide an inhalation hazard.

### First Aid

Eye:	If eye contact is made and irritation develops, contact physician.
Skin:	Normally non-irritating. If rash develops or irritation persists, see physician.
Ingestion:	Due to nature of product there is no inhalation hazard. If vapors from molten or burning material is inhaled, move to fresh air and treat symptomatically. See physician.

## SECTION VI: REACTIVITY DATA

**Stability:** Normally stable. Hazardous polymerization will not occur. Material is combustible and should be stored away from excessive heat and flames.

**Incompatibility:** Strong oxidants like liquid chlorine, pure oxygen or calcium hypochlorite.

### Hazardous Decomposition

**Products:** Will produce fumes, smoke, carbon monoxide, and various complex hydrocarbons during combustion.

Product Identification: Tommy Tape Page 3 of 3

## SECTION VII: SPILL OR LEAK PROCEDURES

Procedures:	No special procedures normally needed.
Waste Disposal Method:	Dispose of material in accordance with federal, state and local regulations. Before attempting clean-up refer to hazard information listed on this sheet.

## SECTION VIII: SPECIAL PROTECTION INFORMATION:

Respiratory: None normally needed. Eye Wear: None normally needed. Clothing/Gloves: Normal work clothing. Ventilation: None normally needed.

## SECTION IX: SPECIAL PRECAUTIONS:

No special handling procedures are necessary. This compound is combustible. Follow good industrial hygiene practices.

## SECTION 313: SUPPLIER NOTIFICATION

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372:

CAS# Chemical Name Percent by Weight

This information must be included in all Meds that are copied and distributed for this material.

Legal responsibility is assumed only for the fact that all studies reported here and all opinions are those of qualified experts.